# **Spring Plungers ·** smooth, with collar and ball 22080.2010



## **Product Description**

Spring plungers can be used for locating or for applying pressure, as a detent or for ejection.

#### **Material**

## Body

• Stainless steel 1.4303

#### Ball

· Stainless steel, hardened

#### Spring

Stainless steel

#### Assembly

A tolerance of H7 is recommended for the locating hole of  $d_1$ .

#### Characteristic

Heavy spring load: marked with two lines





Heavy spring load

Light spring load Standard spring load

#### More information

#### Notes

Special types on request. Spring plungers are specially tested for spring range and forces.


#### References


Calculation of indexing resistance, please refer to appendix - Technical Data -Version with higher spring forces see "EH 22080. Spring Plungers, smooth, long, with collar and ball".

#### **Further products**

- Spring Plungers, with collar and ball, front slot
- Spring Plungers, smooth, long, with collar and ball
- Spring Plungers, smooth, with collar and ball, self-clamping
- Holders, for spring plungers

## Drawing





picture 1


## picture 2

## **Order information**

Dimensions       d1     d2     d3     I1     I2				Stroke s	Spring load <sup>1)</sup> F <sub>1</sub> F <sub>2</sub>		) max.	Location hole H7	Ĭ.	Art. No.	
+0.1		[mm]			[mm]	~	~	1901	[mm]	[-1	
[mm] [mm] [N] [°C] [mm] [g]   body and ball from stainless steel, heavy spring load – picture 1											
10	8.5	11	13	1.5	3.3	17	37	250	10	4.6	22080.2010

1) statistical average value

## **Application example**



## Compliance

## **RoHS compliant**

Compliant according to Directive 2011/65/EU and Directive 2015/863.

## Does not contain SVHC substances

No SVHC substances with more than 0.1% w/w contained - SVHC list [REACH] as of 23.01.2024.

## **Does not contain Proposition 65 substances**

No Proposition 65 substances included. https://www.P65Warnings.ca.gov/

#### Free from Conflict Minerals

This product does not contain any substances designated as "conflict minerals" such as tantalum, tin, gold or tungsten from the Democratic Republic of Congo or adjacent countries.