# Lateral Plungers • smooth, without seal - INCH

# 2B150.0060



#### **Product Description**

To be used for positioning and applying pressure, e.g. during painting and sandblasting.

#### **Material**

#### Body

Aluminium Al

#### Spring

· Stainless steel

#### Pin

· Thermoplastic POM, white

#### **Assembly**

Installation by pressing in.

Formula for calculating the center distance for the mounting hole:

 $I_0 = z/2 + w + x$ 

 $I_0$  = center distance,

y = workpiece height,

w = workpiece length,

x = coordinate dimension,

s = stroke,

z = stop diameter

Calculation dimension x:

y greater than or equal to  $l_2$  -  $d_2/2$ ,

then  $x = d_2/2 - s$ 

y smaller than  $l_2$  -  $d_2/2$ ,

then  $x = d_2/2 - s - [(l_2 - d_2/2 - y) * 0,123]$ 

#### Characteristic


Version light spring load = spring from stainless steel


# More information

#### **Further products**

· Eccentric Mounting Bushings, for lateral plungers, smooth - INCH

# **Drawing**





# **Order information**

Dime	Dimensions S		Dimensions		Stroke	Location	x <sup>2)</sup>		I	Art. No.	
d₁	d <sub>2</sub>	F max. <sup>1)</sup>	I <sub>1</sub> -0.08	l <sub>2</sub>	s	hole D H8		max.			
[in]		[lb]	[ii	ո]	[in]	[in]	[in]	[°F]	[oz]		
Pin: Thermoplastic/Light spring load											
7/16	0.197	4.5	0.433	0.263	0.031	7/16	0.063	176	0.062	2B150.0060	

<sup>1)</sup> statistical average value

Erwin Halder KG




www.halder.com Page 1 of 2 Published on: 2.5.2024

<sup>&</sup>lt;sup>2)</sup> If the workpiece height (y) is less than I2-d2/2, the coordinate dimension (x) must be calculated.

# **Accessories**

	Dimensions	<b>=</b>	Art. No.							
	d <sub>1</sub>	_								
	[in]	[oz]								
assembly tool										
	7/16	1.749	22150.0831							

# **Application example**



# Compliance

# **RoHS** compliant

Compliant according to Directive 2011/65/EU and Directive 2015/863.

# Does not contain SVHC substances

No SVHC substances with more than 0.1% w/w contained - SVHC list [REACH] as of 23.01.2024.

#### Does not contain Proposition 65 substances

No Proposition 65 substances included. https://www.P65Warnings.ca.gov/

#### **Free from Conflict Minerals**

This product does not contain any substances designated as "conflict minerals" such as tantalum, tin, gold or tungsten from the Democratic Republic of Congo or adjacent countries.



www.halder.com Page 2 of 2
Published on: 2.5.2024

Erwin Halder KG