Monitoring Units • for positioning sensors, pneumatic 22800.0701



Product Description

The monitoring unit is used in combination with positioning sensors (EH 22800). Together with the positioning sensors, the backwash pressure sensor makes it possible to poll the correct workpiece positioning.

Material

Housingplastic


More information

Notes

Further information on request.

CE

Drawing



Order information					
Working pressure	Ĭ	Art. No.			
[bar]	[9]				
backwash pressure sensor with LCD display, Ø 4 mm pneumatic hose connection, analogue and digital output signals					
0 – 10	162	22800.0701			

Accessories

Accessories							
	L	D	Ĩ	Art. No.			
	[mm]	[mm]	[9]				
circular connector cable	for connecting backwash pressure sensor to		1				
	2000	-	84.0	22800.0702			
installation frame for bac	nstallation frame for backwash pressure sensor, for installation into a control panel (max. wall thickness 5 mm)						
	_	_	26.0	22800.0703			
plug-in power supply, inp	out 100-240 V AC / output 24 V DC 500 mA, w	ith M12 plug socket					
	1500	_	100.0	22800.0704			
pressure regulator, max. input pressure 12 bar / output pressure 2 bar, 1/4" male thread two-sided							
	-	-	22.0	22800.0710			
connection piece for connecting pressure regulator and pneumatic hose, 1/4" female thread on push-in connector (pneumatic hose Ø 4 mm)							
	_	-	17.0	22800.0711			
pneumatic hose Ø 4 mm							
	5000	4	43.0	22800.0712			
push-in connector, for pr	neumatic hose Ø 4 mm						
OF DI	_	_	4.7	22800.0713			
T-push-in connector for	pneumatic hose Ø 4 mm	·					
	_	_	7.6	22800.0714			
	Erwin Halder KG	www	.halder.com	Page 3 of 4			
Y-push-in connector for	pneumatic hose Ø 4 mm						

Compliance

RoHS compliant

Compliant according to Directive 2011/65/EU and Directive 2015/863.

Does not contain SVHC substances

No SVHC substances with more than 0.1% w/w contained - SVHC list [REACH] as of 23.01.2024.

Does not contain Proposition 65 substances

No Proposition 65 substances included. https://www.P65Warnings.ca.gov/

Free from Conflict Minerals

This product does not contain any substances designated as "conflict minerals" such as tantalum, tin, gold or tungsten from the Democratic Republic of Congo or adjacent countries.